



Alcoa[®] Wheels Wheels you can trust

Alcoa[®] Wheels¹ is a product brand of Howmet Aerospace.

Alcoa[®] WheelS The best solution for your business

Leading manufacturer of aluminium wheels

We advanced the transportation industry with the first forged aluminium wheel in 1948 and have been reinventing it ever since. Find more information on our website: alcoawheelseurope.com





We offer a wide range of forged aluminium wheel dimensions, from 17.5"/19.5" to an extensive variety of 22.5" wheels. Our high-quality Alcoa[®] Wheels can be selected in the truck, bus and trailer manufacturer's option books as well as they are available through our wide network of official Alcoa[®] Wheels distributors.

Find here the most nearby to you: www.alcoawheels.com/alcoawheels/europe/en/where-to-buy.asp

Alcoa[®] Wheels is a product brand of Howmet Aerospace.



Alcoa[®] Wheels Your benefits, our commitment

Alcoa[®] Wheels are forged from one solid block of aluminium. With an 8,000 tons press, the block is forged into a wheel shape. Once forged, the wheels are heat-treated to maximize overall mechanical strengths. The Alcoa[®] Wheels forging process aligns the grain flow of aluminium with the shape of the wheel, even in the critical area where disc and rim meet. This process results in wheels with unrivalled forged strength that withstand the most severe tests to ensure highest standards and quality. We are so confident in the durability and quality of our wheels, we give a 5-year unlimited mileage warranty.

Alcoa[®] Wheels are a must. The ultimate choice for your vehicle. Compared to steel and cast aluminium wheels, Alcoa[®] Wheels offer numerous benefits.

Weight saving

Up to 51% lighter than steel

By switching from steel to aluminium Alcoa[®] Wheels you can easily save up to 51% in weight, depending on the wheel size, allowing you to:

- increase the vehicle's payload
- reduce your operating costs
- boost your profitability



Calculate your individual weight saving with the Alcoa[®] Wheels Calculighter!

The individual weight saving can vary based on the specification of the vehicle and wheels.



Unrivalled forged strength

Stronger than steel and longer lasting.

Forged aluminium Alcoa[®] Wheels are literally stronger than steel.

High strength test results



Wheels are placed in a press and closed until the wheel deforms by 5 cm.

- a forged wheel from Alcoa® Wheels withstands a load of 71.200 kg before deforming , while
- the rim of the steel wheel already deforms at 13.600 kg Alcoa[®] Wheels are up to 5 times stronger!



*Compared to exemplarily steel wheel weights with same dimensions and load rates.

Contribution to fuel efficiency, reduced Global Warming Potential (GWP)

GWP reduction



Up to -3,6 tons* CO₂-eq

Replacing 6 steel wheels with Alcoa[®] Wheels on a 2-axle diesel city bus over the 12-year lifetime of the bus and 720.000 km.



CO₂-eq

Replacing 10 steel wheels with Alcoa[®] Wheels on a 3-axle diesel articulated city bus over the 12-year lifetime of the bus and 720.000 km.



Up to -4 tons**

CO₂-eq

Replacing 12 steel wheels with Alcoa[®] Wheels on a 2-axle truck and 3-axle trailer over the lifetime of a truck (2x5 years) and trailer (10 years) and 1.300.000 km.

Tyre performance

Alcoa® Wheels run truer and can contribute therefore to better tyre wear compared to a steel wheel. This also positively influences rolling resistance.

That's not all! Aluminium is more conductive than steel and the material of choice for heat sinks in laptops and radiator fins for cars and trucks as it helps to dissipate heat. Better heat dissipation impacts tyre life, brake performance and brake pad life positively.



Thermal images of aluminium vs. steel in identical operation conditions show how aluminium Alcoa® Wheels run up to 22°C* cooler.

*internal testing





Alcoa[®] Wheels' finishes

Dura-Bright[®] EVO

LvL ONE[®]

Brushed



Great looks, easy maintenance

Entry level wheel with a brilliant finish

Basic maintenance finish

Alcoa[®] Wheels' finishes

Dura-Bright[®] EVO

Great looks, easy maintenance

Alcoa[®] Wheels are available with Dura-Bright[®] EVO surface treatment that keeps wheels looking bright and shiny for years without polishing. Maintenance is extremely easy by just using water and soap thanks to the extraordinary technology.



Conventional coating



Alcoa[®] Wheels proprietary treatment



Dura-Bright[®] is not a coating, but a surface treatment that penetrates the aluminium and becomes an integral part of the wheel. It will not chip, crack, peel or corrode, like conventional coatings do.

The Dura-Bright[®] treatment is available on almost all Alcoa[®] Wheels sizes. For more information refer to the Alcoa[®] Wheels specification sheet, available for download on our website www.alcoawheelseurope.com.



ALCOA

Cleaning Dura-Bright[®] wheels

There is no easier wheel to maintain than a Dura-Bright[®] wheel. Just 6 steps to follow for fabulous looking wheels:





Allow wheels to cool below 35° C Remove nut covers.

2.





Clean the wheel with a soft brush.

Rinse with water.

Dura-Bright[®] Wheel Wash

- Helps to prevent the build-up of brake dust and oxidation
- No risk of damaging wheels with harsh chemicals
- No need to dilute
- Suitable for all Dura-Bright[®] generations
- · Economic in use



Rinse the wheel with water to prevent scratching and erosion. 3.



Mix water with a mild detergent or use undiluted Dura-Bright[®] Wheel Wash.







Before

After



LVL ONE®

ALCOA LvL ONE®

Alcoa[®] Wheels advanced LvL ONE[®] finishing technology results in a brilliant finish with a smoother and glossier surface than Brushed.

LvL ONE[®] wheels require the usual procedure when it comes to maintenance. If a shiny surface is desired, polishing is needed. Nevertheless, the wheel looks great and comes with the same advantages as the other finishes of Alcoa[®] Wheels.





Brushed is a basic maintenance finish. Brushed Alcoa[®] Wheels do not corrode and repainting is not necessary.





Cleaning LvL ONE[®], Polished and Brushed wheels





Rinse the wheel with water to prevent scratching and erosion; preferably with a high pressure cleaner.





Gently brush ALclean onto the wheel.

LvL ONE[®] and Polished wheels

8

5.







Continue by applying a small amount of ALpolish.

Spread it evenly over the wheel using a moist cloth and polish the wheel.

Cleaning Products for Alcoa[®] Wheels

ALclean

- Removes oxidation, disk brake dust, salt spray and road grime
- · Use for Brushed, Mirror Polished and LvL ONE® finishes

ALpolish

- Restore and maintain the shine of Mirror Polished, LvL ONE[®] Alcoa[®] Wheels
- Use after ALclean

For additional information on cleaning and maintenance see section 'Care and Maintenance' of the Service Manual for Alcoa® Wheels.







Pour a quantity of ALclean into a bucket and dilute with 1, 2 or 3 parts of water.



Recommended quantities: for difficult spots
for medium pollution 3. for regular use 4. for frequent use



Rinse with clean water. Repeat these steps if needed.

6.



Dry the wheel.







Repeat steps 7 and 8 section by section to prevent the polish from drying out.

ALbrush2

• A premium quality brush with a rubber edge to protect wheels from getting damaged during cleaning



Here you can buy

Technology

Ultra ONE®

The Wheel Reinvented - The Lightest, The Strongest

Ultra ONE® Alcoa® Wheels are our lightest and strongest wheels. They are made of the proprietary MagnaForce® alloy technology. This alloy is 17 percent stronger than the currently existing industry standard, allowing to create lighter wheels without compromising on their strength. Ultra ONE® Alcoa® Wheels are available in Brushed, LvL ONE®, Dura-Bright® EVO, Dura-Flange® and Dura-Bright®/Dura-Flange® finishes.



LCOA



Specialised applications



Dura-Flange[®]

Additional protection for an even longer service life.

Dura-Flange[®] Alcoa[®] Wheels have a proprietary treatment that provides a protective shield to reduce rim flange wear, giving them up to double the lifetime compared to other aluminium wheels under the same conditions. Dura-Flange[®] wheels are the most appropriate for transport where loads are heavy and prone to shifting, causing the tyre bead to rub against the wheel flange.





WorkHorse®

Disc brake protection and increased wheel load

WorkHorse[®] Alcoa Wheels are designed without ventilation holes to protect the disc brakes from sand and gravel. WorkHorse[®] wheels are mainly used on construction vehicles with disc brakes.

The wheels are available in selected wheel sizes: 22.5"x9.00" and 22.5"x11.75", offset 120 mm.



Dura-Bright[®] / Dura-Flange[®]

Two revolutionary treatments combined into one

Dura-Bright[®]/Dura-Flange[®] Alcoa[®] Wheels are the result of 2 treatments combined, resulting in a shiny looking easy to maintain wheel with a protective shield to further increase the wheels' service life.







HOWMET WHEEL SYSTEMS

info.wheels@howmet.com

www.alcoawheelseurope.com

Alcoa[®] Wheels¹ is a product brand of Howmet Aerospace. © 2021 Howmet Aerospace Inc. or a Howmet Aerospace Inc. affiliate.

1. The "ALCOA" name and geometric symbol are registered trademarks of Alcoa USA Corporation and are licensed to Howmet Aerospace Inc. and its subsidiaries.

This brochure may not reflect the most recent development and accuracy of the information herein is not guaranteed. Howmet Aerospace reserves the right to change information in this brochure, including the technical characteristics and designs of Alcoa® Wheels.